

a.) Amendment to the Claims:

1. (Currently Amended) An isolated adult stem cell obtained from adult bone marrow, wherein said adult stem cell ~~can differentiate~~ is CD117-positive and CD140-positive, and said adult stem cell is capable of differentiating into more than one cell, one of which is a cardiomyocyte.

Claims 2-5 (Canceled)

6. (Currently Amended) The isolated adult stem cell according to claim 1, which ~~can also differentiate~~ is capable of differentiating into at least one of an adipocyte, a skeletal muscle cell, an osteoblast, a vascular endothelial cell, a nervous system cell, and a hepatic cell.

Claims 7-8 (Cancelled).

9. (Currently Amended) The isolated adult stem cell according to ~~claim 8~~ claim 1, wherein the adult stem cell is further CD34-positive.

10. (Currently Amended) The isolated adult stem cell according to claim 9, wherein the adult stem cell is further CD144-positive.

11. (Currently Amended) The isolated adult stem cell according to claim 9, wherein the adult stem cell is further CD144-negative.

12. (Currently Amended) The isolated adult stem cell according to ~~claim 8~~ claim 1, wherein the adult stem cell is further CD34-negative.

13. (Currently Amended) The isolated adult stem cell according to claim 12, wherein the adult stem cell is further CD144-positive.

14. (Currently Amended) The isolated adult stem cell according to claim 12, wherein the adult stem cell is further CD144-negative.

15. (Currently Amended) The isolated adult stem cell according to claim 10, wherein the adult stem cell is further CD14-negative, CD45-negative, CD90-negative, Flk-1-negative, CD31-negative, CD105-negative, CD49b-negative, CD49d-

negative, CD29-positive, CD54-negative, CD102-negative, CD106-negative, and CD44-positive.

16. (Currently Amended) The isolated adult stem cell according to claim 11, wherein the adult stem cell is further CD14-negative, CD45-negative, CD90-negative, Flk-1-negative, CD31-negative, CD105-negative, CD49b-negative, CD49d-negative, CD29-positive, CD54-negative, CD102-negative, CD106-negative, and CD44-positive.

17. (Currently Amended) The isolated adult stem cell according to claim 12, wherein the adult stem cell is further CD14-negative, CD45-negative, CD90-negative, Flk-1-negative, CD31-negative, CD105-negative, CD49b-negative, CD49d-negative, CD29-positive, CD54-negative, CD102-negative, CD106-negative, and CD44-positive.

18. (Currently Amended) The isolated adult stem cell according to claim 13, wherein the adult stem cell is further CD14-negative, CD45-negative, CD90-negative, Flk-1-negative, CD31-negative, CD105-negative, CD49b-negative, CD49d-negative, CD29-positive, CD54-negative, CD102-negative, CD106-negative, and CD44-positive.

19. (Currently Amended) The isolated adult stem cell according to claim 1, which does not take up Hoechst 33342.

Claim 20 (Cancelled).

21. (Currently Amended) The isolated adult stem cell according to claim 1, which ~~differentiates~~ is capable of differentiating into a ventricular cardiac muscle cell.

22. (Currently Amended) The isolated adult stem cell according to claim 1, which ~~differentiates~~ is capable of differentiating into a sinus node cell.

23. (Currently Amended) The isolated adult stem cell according to any one of ~~claims 1, 6-19, 21 or 22~~ claims 1, 6, 9-19, 21 or 22, wherein the bone marrow is mammalian.

24. (Currently Amended) The isolated adult stem cell according to claim 23, wherein the mammal is ~~selected from the group consisting of a mouse, a rat, a guinea pig, a hamster, a rabbit, a cat, a dog, a sheep, a swine, cattle, a goat and a human.~~

25. (Currently Amended) ~~The~~ An isolated adult stem cell ~~according to claim 1, which is~~ comprising mouse BMSC (FERM BP-7043).

26. (Currently Amended) The isolated adult stem cell according to claim 24, which differentiates into a cardiomyocyte by demethylation of a chromosomal DNA of the adult stem cell.

27. (Currently Amended) The isolated adult stem cell according to claim 26, wherein demethylation is carried out by administering at least one selected from the group consisting of demethylase, 5-azacytidine, and dimethyl sulfoxide.

28. (Currently Amended) The isolated adult cell according to ~~claim 27,~~ wherein the demethylase comprises claim 26, wherein demethylation is carried out by administering a demethylase comprising the amino acid sequence represented by SEQ ID NO:1.

Claims 29-37 (Cancelled).

38. (Currently Amended) The isolated adult stem cell according to claim 24, wherein differentiation is inhibited by a fibroblast growth factor-2.

39. (Currently Amended) The isolated adult stem cell according to claim 38, wherein the FGF-2 comprises the amino acid sequence represented by SEQ ID NOS:7 or 8.

Claim 40 (Cancelled).

41. (Currently Amended) The isolated adult stem cell according to claim 24, which differentiates into a cardiac muscle by transplantation into a blastocyst or by co-culturing with a cardiomyocyte.

Claim 42 (Cancelled).

43. (Currently Amended) The isolated adult stem cell according to claim 24, which differentiates into an adipocyte by administering a compound having a thiazolidione skeleton.

44. (Currently Amended) The isolated adult stem cell according to claim 43, wherein the thiazolidione compound is at least one selected from the group consisting of troglitazone, pioglitazone, and rosiglitazone.

Claims 45-46 (Cancelled).

47. (Currently Amended) A method for differentiating a cell into a cardiac muscle, comprising selecting an isolated adult stem cell according to ~~claims 1, 6-19 or 21-28~~ claims 1, 6, 9-19 or 21-28 and administering thereto a chromosomal ~~DNA-~~  
~~dimethylating~~ DNA-demethylating agent.

48. (Currently Amended) A method for redifferentiating the isolated adult stem cell according to claim 9 into a cell which is CD34-negative, comprising selecting said stem cell and administering thereto a chromosomal ~~DNA-~~  
~~dimethylating~~ DNA-demethylating agent.

49. (Currently Amended) A method for redifferentiating a cell comprising
- selecting an isolated adult stem cell obtained from adult bone marrow, which cell is CD117-negative and CD140-positive,
- administering thereto a chromosomal ~~DNA-dimethylating~~ DNA-demethylating agent and
- obtaining a cell according to ~~claim 8~~ claim 1.
50. (Currently Amended) The method according to claim 48 or 49, wherein the chromosomal ~~DNA-dimethylating~~ DNA-demethylating agent is selected from the group consisting of a demethylase, 5-azacytidine, and DMSO.
51. (Previously Presented) The method according to claim 50, comprising administering a demethylase comprising the amino acid sequence represented by SEQ ID NO:1.
52. (Currently Amended) A method for differentiating a cell into a cardiac muscle comprising



selecting the isolated adult stem cell according to any one of ~~claims~~  
~~1, 6-19 or 21-28~~ claims 1, 6, 9-19 or 21-28 and applying thereto a factor which is  
expressed in a cardiogenesis region of a fetus or a factor which acts on differentiation into  
a cardiomyocyte in a cardiogenesis stage of a fetus.

53. (Previously Presented) The method according to claim 52,  
comprising administering at least one factor selected from the group consisting of a  
cytokine, an adhesion molecule, a vitamin, a transcription factor, and an extracellular  
matrix.

54. (Previously Presented) The method according to claim 53,  
comprising administering at least one cytokine selected from the group consisting of a  
platelet-derived growth factor, a fibroblast growth factor-8, an endothelin 1, a midkine; and  
a bone morphogenetic factor-4.

55. (Previously Presented) The method according to claim 54, wherein  
PDGF, FGF-8, ET1, midkine, and BMP-4 respectively comprise the amino acid sequences  
represented by SEQ ID NOS:3 or 5, the amino acid sequence represented by SEQ ID  
NO:64, the amino acid sequence represented by SEQ ID NO:66, the amino acid sequence  
represented by SEQ ID NO:68, and the amino acid sequence represented by SEQ ID  
NO:70.

56. (Previously Presented) The method according to claim 53, comprising administering at least one adhesion molecule selected from the group consisting of a gelatin, a laminin, a collagen, and a fibronectin.

57. (Previously Presented) The method according to claim 53, comprising administering retinoic acid.

58. (Previously Presented) The method according to claim 53, comprising administering at least one transcription factor selected from the group consisting of Nkx2.5/Csx, GATA4, MEF-2A, MEF-2B, MEF-2C, MEF-2D, dHAND, eHAND, TEF-1, TEF-3, TEF-5, and MesPl.

59. (Previously Presented) The method according to claim 58, wherein Nkx2.5/Csx, GATA4, MEF-2A, MEF-2B, MEF-2C, MEF-2D, dHAND, eHAND, TEF-1, TEF-3, TEF-5, and MesPl respectively comprise the amino acid sequences represented by SEQ ID NO:9, the amino acid sequence represented by SEQ ID NO:11, the amino acid sequence represented by SEQ ID NO:13, the amino acid sequence represented by SEQ ID NO:15, the amino acid sequence represented by SEQ ID NO:17, the amino acid sequence represented by SEQ ID NO:19, the amino acid sequence represented by SEQ ID NO:21,

the amino acid sequence represented by SEQ ID NO:23, the amino acid sequence represented by SEQ ID NO:25, the amino acid sequence represented by SEQ ID NO:27, the amino acid sequence represented by SEQ ID NO:29, the amino acid sequence represented by SEQ ID NO:62.

60. (Previously Presented) The method according to claim 53, comprising administering an extracellular matrix derived from a cardiomyocyte.

61. (Currently Amended) A method for differentiating a cell into an adipocyte comprising selecting the isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28~~ claims 1, 6, 9-19 or 21-28 and applying thereto an activator of nuclear receptor PPAR- $\gamma$ .

62. (Original) The method according to claim 61, wherein the activator is a compound having a thiazolidione skeleton.

63. (Previously Presented) The method according to claim 62, wherein the thiazolidione compound is at least one selected from the group consisting of troglitazone, pioglitazone, and rosiglitazone.

Claims 64-77 (Canceled)

78. (Currently Amended) A method for specifically transfecting a wild-type gene corresponding to a mutant gene in a congenital genetic disease of a heart comprising selecting the isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, and introducing a wild-type gene corresponding to a mutant gene in the congenital genetic disease.

79. (Currently Amended) A therapeutic agent for a heart disease, comprising, as an active ingredient, the isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44 into which a wild-type gene corresponding to a mutant gene in a congenital genetic disease of a heart has been introduced.

80. (Currently Amended) A method for producing an antibody comprising selecting the isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, using the adult stem cell as an antigen and obtaining an antibody which specifically recognizes the adult stem cell.

81. (Currently Amended) A method for isolating an isolated adult stem cell having the potential to differentiate into a cardiomyocyte according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, comprising using an antibody which specifically recognizes the stem cell.

82. (Currently Amended) A method for obtaining a cell-surface antigen comprising practicing the method according to claim 80, and characterizing the antigen recognized by the antibody that specifically identifies the adult stem cell.

83. (Currently Amended) A method for screening a proliferative factor, comprising selecting an isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, administering materials to said stem cell and determining proliferation thereof.

84. (Currently Amended) A method for screening a factor, comprising selecting an isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, administering materials to said stem cell and determining cardiomyocytes.

85. (Currently Amended) A method for screening a factor, comprising selecting an isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, administering materials to said stem cell and determining immortalized cells.

86. (Currently Amended) A method for immortalizing a cell, comprising selecting an isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, and expressing a telomerase in the cell.

87. (Original) The method according to claim 86, wherein the telomerase comprises the amino acid sequence represented by SEQ ID NO:31.

88. (Currently Amended) An isolated adult stem cell according to any one of ~~claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44~~ claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44 which has been immortalized by expressing a telomerase.

89. (Currently Amended) An isolated stem adult cell according to claim 88, wherein the telomerase comprises the amino acid sequence represented by SEQ ID NO:31.

90. (Currently Amended) A culture supernatant comprising the isolated adult stem cell according to any one of claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44 claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44.

91. (Currently Amended) A method for inducing a first cell to differentiate into a cardiomyocyte, comprising selecting a culture comprising the isolated adult stem cell according to any one of claims 1, 6-19 or 21-28, 38, 39, 41, 43 or 44 claims 1, 6, 9-19, 21-28, 38, 39, 41, 43 or 44, and applying to said first cell a supernatant from said culture.